

Mazak

SUPER TURBO-X 510

Consumables:











































M102T2	Side Blow Nozzle Cover Teflon
M104T0	Isolation Ring Teflon 24x4
M105U0	Nozzle Holder Narrow Top
M107T0	Isolation Ring Teflon 24x3 Narrow
M108U0	Copper Nut Narrow Bottom
M110T0	Isolation Ring Teflon 30x4
M113T0	Mazak® Isolation Ring Teflon 27x5.5
M114U0	Central Copper Body
M115B0	Connector Assembly
M116S0	Mazak Short Sensor Cable 30cm
MN1615	Side Blow Nozzle Chrome Plated 1.5mm
MN1620	Side Blow Nozzle Chrome Plated 2.0mm
MN1815	Side Blow Nozzle Chrome Plated Double 1.5mm
MN1820	Side Blow Nozzle Chrome Plated Double 2.0mm
P300C0	Ceramic Nozzle Holder

Chiller Water Additive:

ChillerChemMG30	C Pre-Measured Chiller Water Additive Kit with Citranox - 30 Gallon Tank
---------------------------------	--

Notes:



Chiller Tank Capacity - 25 gallons

1		M101U0	Copper Ring 17x2	13 C		M113C0	Isolation Ring Ceramic 27x5.5
2-0		M102T0	Teflon Spacer 17x1.5	13 P		M113P0	Isolation Ring Plastic 27x5.5
2-1 P		M102P1	Nozzle Cover: Plastic	13 T		M113T0	Isolation Ring Teflon 27x5.5
2-1 T		M102T1	Nozzle Cover: Teflon	14		M114U0	Central Copper Body
2-2		M102T2	Side Blow Nozzle Cover: Teflon	15		M115B0	Connector Assembly
3		M103A0	Aluminum Body	16-30		M116S0	Sensor Cable 30cm
4 C		M104C0	Isolation Ring Ceramic 24x4	16-33		M116S1	Sensor Cable 33cm
4 P		M104P0	Isolation Ring Plastic 24x4	17		M117T0	Connector Cover Teflon
4 T		M104T0	Isolation Ring Teflon 24x4	18		M118T0	Cable Connector Cover Teflon
5-0		M105U0	Nozzle Holder Narrow Top	19		M119T0	Cover Clip Teflon
5-1		M105U1	Nozzle Holder Wide Top	20		M120S0	Long Sensor Cable
6		M106S0	Set Screw	<p>Nozzles: The last two digits of the part number indicate the nozzle orifice diameter: 10 = 1.0mm, 15 = 1.5mm, 20 = 2.0mm, etc...</p>			
7-0 C		M107C0	Isolation Ring Ceramic 24x3 Narrow				
7-0 P		M107P0	Isolation Ring Plastic 24x3 Narrow				
7-0 T		M107T0	Isolation Ring Teflon 24x3 Narrow				
7-1 C		M107C1	Isolation Ring Ceramic 24x3 Wide		MN10XX	Nozzle: Narrow (10 Pack)	
8-0		M108U0	Copper Nut Narrow Bottom		MN11XX	Nozzle: Wide (10 Pack)	
8-1		M108U1	Copper Nut Wide Bottom		MN12XX	Nozzle: Wide Chrome Plated (10 Pack)	
9		M109S0	Ring H18		MN14XX	Nozzle: Wide Chrome Plated Double (10 Pack)	
10 C		M110C0	Isolation Ring Ceramic 30x4		MN15XX	Side Blow / Fast Pierce Nozzle	
10 P		M107P0	Isolation Ring Plastic 30x4		MN16XX	Side Blow / Fast Pierce Nozzle Chrome Plated	
10 T		M110T0	Isolation Ring Teflon 30x4		MN18XX	Side Blow / Fast Pierce Nozzle Chrome Plated Double	
11		M111B0	Brass Bass				
12		M112G0	O-ring External Base				













Dimensions are Metric

Do not mix ceramic, plastic, and teflon insulators


Wide Version
Usually used with Ceramic Insulators



Narrow Version



Custom Cables Available



<--- 2.3 meters (7.5 feet) Long --->

